DRUG TESTING TERMINOLOGY

Drug testing is a valuable clinical tool in the assessment and management of individuals in a number of healthcare settings. As drug testing technology advances and more and more practitioners incorporate drug testing into their clinical practice, there is often confusion around terminology related to this procedure. This document clarifies frequently encountered drug testing related terminology.



CLINICAL TERM Confirmation/

Confirmatory

LABORATORY TERM

Definitive¹

Reflex testing (automatically done on a positive screening test)

DEFINITION

Usually mass spectroscopy based analysis for a specific substance or metabolite

OTHER TERMS

- GC/MS²
- LC/MS-MS²
- Quantitative³

OTHER TERMS

Presumptive¹ Immunoassay²



CLINICAL TERM Screening

LABORATORY TERM Screening

CLINICAL TERM Specimen validity testing

LABORATORY TERM Specimen validity testing

DEFINITION

DEFINITION

Testing for urine

creatinine, specific

gravity, and/or pH as

An initial test, usually by immunoassay, to detect presence or absence of a substance or class of substances

ence of • Qualitative

OTHER TERMS

- Rigged/rigging⁴
- Falsified⁴
- Manipulated⁴
- Tampered with⁴
- Adulterated⁴
- Diluted
- Altered



CLINICAL TERM Point of care test (POC)

In office test

LABORATORY TERM Instant drug test

DEFINITION

Test analysis done at the site of specimen collection other than a formal laboratory, usually a healthcare office

OTHER TERMS

- Urine dip/dipstick
- Urine cup

¹These are the two terms preferred by ASAM to distinguish between the two classes of drug tests

² These are specimen analytical techniques. Immunoassays are most often considered presumptive but some immunoassays can produce very specific, definitive results

³ A quantitative level should be interpreted cautiously as no method is 100% error-free i.e. depending on metabolism and time of the sample, heroin can be converted to morphine, missing the detection of an illegal drug.

⁴ These are non-medical, stigmatizing, and potentially inaccurate terms and should be avoided



a test for specimen alteration