Provider Council

Areas of Focus

Presented on February 8, 2019

Introduction

In response to recommendations submitted via the 2018 Provider Council Survey, the Maryland Department of Health collaborated with Beacon to develop special areas of focus to be a standing agenda item for 2019 meetings of Provider Council.

Areas of Focus will highlight:

- Outcome Based Standards
- Survey Results
- Research-Based Initiatives
- National Trends
- Clinical Best Practices
- And More



Areas of Focus

Outcome Based Standards

 Initiation & Engagement of Newly Diagnosed Consumers with Substance Use Disorder (SUD)

Note: Although these Outcome Based Standards sound similar to national HEDIS metrics, they can in fact have very different specifications and therefore should not be compared to HEDIS.



Initiation & Engagement of Newly Diagnosed SUD Consumers



Metric Definition

This metric measures the percentage of newly* diagnosed consumers with a substance use disorder diagnosis.

Episode – is identified by the 1st claim with a SUD diagnosis

Initiation of SUD Treatment – percentage of consumers who initiate treatment through an inpatient admission, outpatient visit, intensive outpatient encounter, partial hospitalization or SUD residential treatment within 14 days of a new SUD diagnosis. (Note: This is a subsequent SUD visit after receiving a SUD diagnosis)

Engagement of SUD Treatment – percentage of consumers who initiated treatment and who had two or more additional SUD services (listed above) or Medication Assisted Treatment (MAT) within 29 days after initiation event. (Note: These consist of two additional SUD visits after the Initiation visit)

Episode claim + Initiation claim + 2 Engagement claims = 100% completion of measure

*newly diagnosed is defined as a consumer having a 60-day negative SUD diagnosis history and no SUD claims for 60 days

Deacon

Why is This Important?

- As of 2013, an estimated 22.7 million Americans needed treatment for a problem related to drugs or alcohol but only 2.5 million people received treatment at a specialty facility.¹
- Unintentional intoxication deaths (overdoses) are continuing to rise dramatically across the country as well as in Maryland.²
- Substance Use Disorders are complex disorders that can involve virtually every aspect of an individual's functioning.³
- Early identification and timely substance use treatment is shown to increase positive outcomes for substance use disorders⁴

How Providers Can Improve Maryland's Initiation and Engagement Rates

- Screen: Include substance use screening upon intake and throughout treatment as clinically indicated using appropriate screening tools (i.e. CAGE-AID, AUDIT or others)
- **Document:** Accurately document the diagnosis in record and on claims submissions.
- Educate: Provide psycho-education in a consumer friendly way regarding the dangers and effects of substance use disorders and all of the treatment options that exist for them in their community.
- Follow up: When a substance use disorder is identified, help schedule appropriate follow-up treatment. Try to give options to the consumer.
 - Try to schedule three follow-up appointments within the first 34 days of treatment with the first one being within 2 weeks of the new diagnosis.

(from Beacon Health Options HEDIS Tip Sheets)



Deacon

Some Ways Beacon Is Addressing Initiation & Engagement

- Outreach telephonically and in-person to consumers with co-occurring conditions
 - Intensive Case Management (ICM)
 - Peer Specialists
- Presentations and trainings in the community
- Use of Provider Quality Program (formerly MPP) strategies to address barriers in accessing SUD treatment services





References

1. National Trends, National Institute on Drug Abuse. (June, 2015) Retrieved from http://www.drugabuse.gov/publications/drugfacts/nationwide-trends

2. Overdose Data and Reports, 2018 Quarterly Report – 2nd quarter. Maryland Department of Health, Behavioral Health Administration. Retrieved from https://bha.health.maryland.gov/OVERDOSE_PREVENTION/Pages/Data-and-Reports.aspx

3. Principles of Drug Addiction Treatment: A Research-Based Guide (Third Edition). NIDA. Retrieved from https://www.drugabuse.gov/publications/principles-drug-addiction-treatment-research-based-guide-third-edition

4. Surgeon General (2016). Executive Summary, The Surgeon General's Report, Early Intervention, Treatment, and Management of Substance Use Disorders. Retrived from https://addiction.surgeongeneral.gov/executive-summary/report/early-intervention-treatment-and-management-substance-use-disorders

Thank you



Follow us on Twitter @BeaconHealthOpt

